

**RoboMIDI** 60HP



**ENERGREEN**<sup>®</sup> *America*  
Professional Machines 

REMOTE  
CONTROLLED  
TOOLS  
CARRIER

**55** SLOPE



REMOTE CONTROLLED  
TOOLS CARRIER

*New*



*Robo***MIDI**  
60HP

## New Remote Controlled Tools Carrier

RoboMIDI is a remote-controlled tools carrier machine able to work in the narrowest areas, on slopes up to 55° or where the access is very difficult.

Equipped with a 60 HP EPA Tier 4f diesel engine and two double effect hydraulic functions it can carry various tools like a cutting head, a forestry head, a stump grinder, a bucket etc.

RoboMIDI, thanks to its power, performances, reliability and strength, is completely different from other remote-controlled machines.



WORKING  
RANGE 492 FT

# STRENGTHS

## RoboMIDI 60HP



## STRENGTHS



### Safety and Comfort

- Radio controlled machine
- Operator in safety zone
- Emergency button on the remote control
- Excellent maneuverability
- Easy to use and carry



### Working on steep slopes

- Excellent grip in all directions up to 55°
- New tracks design with large bearing surface
- Special oil sump
- Low center of gravity




### Multifunction

- Multiple tools available
- Road and river maintenance
- Green maintenance and forestry work
- Agriculture and industry service
- Winter road service



### Productivity

- Engine 60 HP EPA Tier 4f
- Quick change of equipment
- Fast execution of work
- Reduced consumption
- Maneuverability on all surfaces





OPERATOR  
IN SAFETY  
ZONE

# REMOTE CONTROLLED

## RoboMIDI is Safety

RoboMIDI is a remote controlled machine, able to work in complete safety in dangerous areas, with slopes up to 55° in any directions.


The exceptional stability of the machine is given by a low center of gravity, a special oil sump and rubber or steel tracks for an excellent grip.

The safety of the operator is one of our targets: the use of the remote control with up to 492 ft range avoids several work risks to the operator such as noise, vibrations, exposure to exhaust materials, etc.

RoboMIDI  
60HP

THE REMOTE CONTROL  
IS LIGHT, INTUITIVE,  
AND EASY TO MASTER

EMERGENCY  
BUTTON



492 FT

## RoboMIDI 60HP

### QUALITY COMPONENTS ✓



RoboMIDI is built with an ultra-resistant steel to ensure a long duration; all the components are tested and certified to ensure the maximum reliability and safety.

- Engine tested by the producer with a remarkable reputation for the reliability.
- Remote-control technology developed by a team of specialized experts.
- Powerful and efficient powerful engine, ideal for steep slopes.
- Engine crankcase designed to ensure the lubrication, even on steep slopes.
- Double roll bar integrated into the frame to ensure a total protection of the machine.
- Independent cooling system of the hydraulic system to optimize the performances.
- Flat bottom frame to protect the parts of the engine.
- Fully enclosed body panels to keep out grass and debris.
- Front lifter with quick attachment mounting system.

Born to satisfy the most difficult needs, RoboMIDI can easily be defined a remote-controlled grass cutting machine with power and performances comparable to a classic grass cutting arm for a tractor. These fundamental characteristics distinguish this machine from any other robot used for grass cutting: **power, reliability, strength and high efficiency.**



YANMAR ENGINE 60 HP




THE BEST COMPONENTS



FREXXAIRE® SELF-CLEANING REVERSIBLE FAN

RoboMIDI is equipped with the self-cleaning reversible fan FLEXXAIRE® to increase productivity and fuel saving.




LED LIGHTS



# WORK ON SLOPES

## Working on steep slopes up to 55°


The special design of the tracks and its tensioning system makes **RoboMIDI** a safe machine for working on slopes up to 55° in any directions: hilly and mountain areas, slopes, embankments, and in all those places where the adherence is very low and where a machine for high slopes is required.



LOWERED CENTER OF GRAVITY



**RoboMIDI**



LOWERED CENTER OF GRAVITY

55°



**Tracks profile with the largest contact surface and smallest specific weight on the ground**

**OPTION A**

**SUPER RUBBER TRACKS**

**IDEAL FOR FORESTRY WORKS OR AREAS WITH DENSE VEGETATION**

- 12" of width
- Wide supporting surface with consequent less weight per cm<sup>2</sup>
- Work on sloping areas up to 55°

**OPTION B**

**STEEL TRACKS**

**IDEAL TRACKS FOR ROCKY OR WET SURFACES**

- 10" of width
- Excellent adherence to the ground
- Work on sloping areas up to 55°

**COGWHEEL OF THE TRACK IN TEMPERED STEEL**

**TRACK TENSIONER WITH SAFETY SPRING**

**LARGEST CONTACT SURFACE ON THE GROUND**

# MULTIFUNCTION



## The suitable tool for every work

RoboMIDI is a technologically advanced machine that responds to the current needs of safety and performances requested by the market.

Energreen, with its range of Robo machines, wants to change the traditional concept of grass cutting and other kinds of works, creating a remote-controlled machine, that can do operations of mowing where previously there was only the possibility to use hand brush cutters; this represents a new frontier of use, where the safety of the operators is put first.

RoboMIDI is certainly faster than the traditional ways of mowing; it allows to optimize the work in the most different working environments.



**HEAD 155**  
MULCHING HEAD




**FORESTRY 150**  
FORESTRY HEAD WITH FIXED TEETH



**STUMP GRINDER**



**TRENCHER**



**BIO-SHREDDER**  
CHIPPER



**SNOW BLOWER**



**FORESTRY WINCH**



**WINCH**



STANDARD



CONNECTION  
LEVER



ATTACHMENT  
PIN



SAFETY  
LEVER



## Quick Attachment

RoboMIDI is a remote-controlled tools carrier machine equipped with a dedicated lifter which allows a quick-change system, making the work easier and multifunction.



OPTIONAL



## Strong radiator protection

RoboMIDI can be equipped with a rear steel protection for the radiator (optional). It is a solid structure made up of metal tubes and plates designed to limit damages in case of collision. The structure is handy and easy to open, making everyday maintenance much easier, thanks also to the possibility of lifting it and have an easy access to the radiator.

# TECHNICAL DATA



Command board with color display 4,3"



Front lifter with quick attachment with safety lever (A)




Led lights



Hydraulic tension of the tracks




Yanmar engine 60 HP EPA Tier 4f





Engine compartment easy to check



Steel air filter protection



Double roll bar integrated into the frame



\* Super rubber tracks  
\*\* Steel tracks

## RoboMIDI

Maximum slope	55°
Transmission	Hydrostatic
Low range speed	0 - 1.86 mph
High range speed	0 - 3.72 mph
Machine weight with steel tracks	3792 lbs
Weight with super rubber tracks	3615 lbs

## ENGINE

Brand	Yanmar
Type	4 Cylinders Diesel
Power	60 HP (44,7 kW) EPA Tier 4f
Fuel tank capacity	8 gal
Working RPM	2700 rpm

## REMOTE CONTROL

Brand	Autec
Radio frequency	915 Mhz
Working range	492 ft
Joystick	Proportional
Battery	Rechargeable

REMOTE CONTROL CASE standard



## OPTIONAL




CEJN fast hydraulic couplings



Steel radiator protection



Led light



Led flashing beacon

Technical and construction specifications may be subject to change without prior notice.



*RoboMIDI*

**ENERGREENAMERICA.COM**



# REMOTE CONTROLLED TOOLS CARRIER



Local dealership



**ENERGREEN**<sup>®</sup> *America*  
Professional Machines

ENERGREEN America · 1242 Nowell Dr · Augusta · GA 30901 · USA  
Phone CA 510 593 3144 · Phone GA 706 945 2800  
info@energreamerica.com · www.energreamerica.com

PROFESSIONAL MACHINES AND EQUIPMENT



ELUSDPI900103-09/21 - © Energreen America 2021 - All rights reserved  
Photo, technical and constructive characteristics subjected to modification without reporting requirement.